AUTOMATION CONTROLLERS

HC4

- (2) 3.5mm Stereo ELAN Sense Inputs
- (2) 3.5mm Mono IR Outputs
- (1) 3.5mm External IR Input
- RJ-45 Ethernet Port Programming
- (2) 3-postion screw terminals Relay
- (1) USB Modem
- (1) 3.5mm Stereo Audio Outputs
- (4) RS-232 / (1) RS-485 Serial Connections
- 1V Peak-to-Peak Nominal Component Video Output

MSRP $1300.00

HC6

- (6) 3.5mm Stereo ELAN Sense Inputs
- (6) 3.5mm Mono IR Outputs
- (1) 3.5mm External IR Input
- RJ-45 Ethernet Port Programming
- (2) 3-postion screw terminals Relay
- (2) USB Modem
- (2) RCA Outputs
- (6) RS-232 / (2) RS-485 Serial Connections
- 1V Peak-to-Peak Nominal Component Video Output

MSRP $2000.00

HC4BKT (HC4 MOUNTING BRACKET)

MSRP $80.00

HC8

- (4) 3.5mm Stereo ELAN Sense Inputs
- (3) 3.5mm Mono IR Outputs
- (1) 3.5mm External IR Input
- RJ-45 Ethernet Port Programming
- (2) 3-postion screw terminals Relay
- (2) USB Modem
- (2) 3.5mm Stereo
- (8) RS-232 / (2) RS-485 Serial Connections
- 1V Peak-to-Peak Nominal Component Video Output
- 250GB Hard Drive Storage

MSRP $2500.00

HC12

- (6) 3.5mm Stereo ELAN Sense Inputs
- (6) 3.5mm Mono IR Outputs
- (1) 3.5mm External IR Input
- RJ-45 Ethernet Port Programming
- (4) 3-postion screw terminals Relay
- (2) USB Modem
- (2) RCA Outputs
- (12) RS-232 / (2) RS-485 Serial Connections
- 1V Peak-to-Peak Nominal Component Video Output
- 250GB Hard Drive Storage

MSRP $3100.00

AUTOMATION LICENSES - FOR HC CONTROLLERS Only

These part numbers are only for the New HC line of Controllers.
One GPASL License is needed for each Pro App (Media, Security, Climate, Lighting, IP Camera, DVR, Messaging, Irrigation, Pool/Spa)
One GVSL License is needed for each thrid party User Interface

GPASL

g! Pro Application Software License

MSRP $720.00

GVSL

Viewer Software License (1 required per non-ELAN user interface device, ie. iPhone, iPad, PC)

MSRP $310.00

USER INTERFACES

HR2

- Controls all AV sources with metadata feedback
- Controls security, lighting, and climate with metadata feedback
- 46 backlit hard buttons for common functions
- 2.4" AMOLED display
- Noiseless accelerometer for activating LCD or backlight
- Uses instant-on 802.11g for communication
- IR blaster for line-of-sight control
- Compatible with all g! System Controllers

MSRP $870.00

- All the speed, response & graphics of a touchscreen
- All the ease-of-use, simplicity-of-programming & affordability of a remote control
- Slim profile for ease of use and comfort
- Quick & easy programming using the ELAN Configurator

TS2L

- Controls Media, Lighting, Security, and Climate
- Light sensor for auto dimming & brightening
- Audible touch feedback through built-in speaker
- 2.0-inch,18-bit, 262k color OLED display
- Integrated IR receiver
- Connectivity for remote IR receiver
- IR In/Out port on back for quick connection of external IR signals
- Sense Trigger Input
- Fits in a standard 2-gang box

MSRP $550.00

GTS2B (TS2 FILM, BLACK)

MSRP $60.00

GTS2W (TS2 FILM, WHITE)

MSRP $60.00

VL2 (VALET CONVERSION KIT, BLACK)

MSRP $100.00

WPEO2A (WALL PLATE, ALMOND)
WPEO2B (WALL PLATE, BLACK)
WPEO2I (WALL PLATE, IVORY)
WPEO2LA (WALL PLATE, LIGHT ALMOND)
WPEO2W (WALL PLATE, WHITE)

MSRP $45.00

TS7

- 7" In-Wall Touch Screen
- 7-inch high-resolution Active Matrix LCD display
- Composite video
- 16:9 wide screen format
- Backlit hard buttons
- Built-in speaker and microphone
- Simple IP connectivity for communication
- Non-volatile flash memory
- Compatible with all ELAN controllers
- Easy retrofit installation
- Screen saver mode displays user's photos

MSRP $1760.00

TS7BKT (TS7 ROUGH-IN BRACKET)

MSRP Open

TS7BB (TS7 ROUGH-IN BACK BOX)

MSRP Open

WPTS7A (WALL PLATE, ALMOND)
WPTS7B (WALL PLATE, BLACK)
WPTS7I (WALL PLATE, IVORY)
WPTS7LA (WALL PLATE, LIGHT ALMOND)

MSRP $41.00

USER INTERFACES

TS10
- 10-inch high-resolution Active Matrix LCD display
- Composite video for viewing TV sources or cameras
- 16:9 wide screen format
- Backlit hard buttons for commonly used functions
- Built-in speaker and microphone for messaging features
- Simple IP connectivity for communication
- Non-volatile flash memory
- Quick & easy programming

MSRP $2280.00

TS10BKT (TS10 ROUGH-IN BRACKET)
MSRP Open

TS10BB (TS10 ROUGH-IN BACK BOX)
MSRP Open

WPTS10A (WALL PLATE, ALMOND)
WPTS10B (WALL PLATE, BLACK)
WPTS10I (WALL PLATE, IVORY)
WPTS10LA (WALL PLATE, LIGHT ALMOND)

MSRP $41.00

VL10
- 10” Desk/Under-Cabinet
- 10-inch high-resolution Active Matrix LCD display
- Composite video
- 16:9 wide screen format
- Backlit hard buttons
- Built-in speaker and microphone
- Simple IP connectivity for communication
- Non-volatile flash memory
- Compatible with all ELAN controllers
- Easy retrofit installation
- Screen saver mode displays user’s photos

MSRP $2500.00

INTEGRATION HARDWARE & ACCESSORIES

HWEB100
- Serialbrick, Serial To Ethernet

MSRP $465.00

HWEB101
- Serialbrick, Irrigation

MSRP $465.00

GMOD
- USB to Dialup Modem
- USB phone modem to enable modem features on an HC Controller. Use up to two per controller

MSRP $205.00

HWAVO100
- IP 9100B Internet Video Server 4CH

MSRP $435.00

DIMMERS & SWITCHERS

WS1D6 STANDARD DIMMER , 600W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $150.00

WS1D10 STANDARD DIMMER , 1000W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $180.00

WS1E3 ELECTRONIC LV DIMMER , 300W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $325.00

WS1DL6 MASTER CFL/LED DIMMER, 600W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $200.00

WS1D15 STANDARD DIMMER , 1500W
*Comes in White, & Ivory
MSRP $375.00

WS1D24 STANDARD DIMMER , 2400W
*Comes in White, Ivory
MSRP $480.00

WS1E5 ELECTRONIC LV DIMMER , 500W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $375.00

WS1DL10 MASTER CFL/LED DIMMER, 1000W
Comes in White, Light Almond, Almond, Ivory, & Black
MSRP $230.00

Common Features:
- Each unit can be a dimmer, a relay switch or a two button transmitter depending on its programming.
- May be used for stand-alone scene lighting control, or with a controller
- Variable fade rates for rocker switch operation & all scenes can be set between instant-on & one hour
- Auto off timer allows the unit to turn off after a pre-set time from 1 minute to 4 hours
- Multi-colored LED to show status of load
- May be used in three-way circuits just add an RWS
  Remote Wall Switch
- Pre-programmed with 7 preset scenes
- Programmable on-level with 100 Dimming Steps for elegant scene membership & notification of status
- Adjustable Receive Sensitivit
- Electronic Low Voltage (ELV)dimmers are compatible with & required for ELV transformers

MULTI-BUTTON CONTROLLER/SWITCHERS

KPLD6W

KPLD8W

KPLD6W (WHITE)
KPLD6LA (LIGHT ALMOND)
KPLD6A (ALMOND)
KPLD6I (IVORY)
KPLD6B (BLACK)
- 6-Button In Wall Dimmer / Controller

MSRP $400.00

KPLD8W (WHITE)
KPLD8LA (LIGHT ALMOND)
KPLD8A (ALMOND)
KPLD8I (IVORY)
KPLD8B (BLACK)
- 8-Button In Wall Dimmer / Controller

MSRP $400.00

Common Features:
- Dual-purpose keypad/dimmer fits in a single gang location
- Allows a keypad to replace a light switch without losing the functionality of the light switch.
- The 400W rating can be configured to act as a dimmer or switch.
- Will control single lights, trigger dramatic scenes and/or send messages to a central controller
- Choose from 16 function modes for each button
- Buttons can be programmed to provide direct load control, other single devices or scenes
- Synchronized LED tracking of device & scene status
- Keys are backlit and adjustable to permit comfortable nighttime viewing
- Pre-programmed with 7 preset scenes with a light level to create inviting moods

MULTI-BUTTON CONTROLLER/SWITCHERS

KPCW6W (WHITE)
KPCW6LA (LIGHT ALMOND)
KPCW6A (ALMOND)
KPCW6I (IVORY)
KPCW6B (BLACK)
- 6-Button In Wall Controller

MSRP $290.00

KPCW8W (WHITE)
KPCW8LA (LIGHT ALMOND)
KPCW8A (ALMOND)
KPCW8I (IVORY)
KPCW8B (BLACK)
- 8-Button In Wall Controller

MSRP $290.00

KPCD6B (BLACK)
- 6-Button Desktop Controller

MSRP $325.00

Common Features:
- Pre-programmed to trigger 6 or 8 preset scenes with inviting light levels to create moods
- LED Presets individually configure which LED indicators will light up or turn off in response to as many as 16 different scenes.
- No lag time – just tap & the command is sent instantly!
- To temporarily lock the keypad to keep children or party guests from using the keypad – press & hold the middle four buttons to enable/disable lockout
- Adjustable LED brightness & backlighting permits nighttime viewing and status
- Desktop version is simply plugged into your electrical outlet
- 6 button models accept IR commands which reproduces the buttons for true remote control from across the room

REMOTE WALL SWITCH

RWSW (WHITE)
RWSLA (LIGHT ALMOND)
RWSA (ALMOND)
RWSI (IVORY)
RWSB (BLACK)
- Remote Wall Switch
- The RWS Remote Wall Switch is a highquality auxiliary rocker switch designed to provide three-way or multi-way lighting control to a WS1 Wall Switch Dimmer.

MSRP $65.00

LAMP & APPLIANCE MODULES

LM14 (LAMP MODULE, 1 CH 400W)
AM112 (APPLIANCE MODULE , 12A)

- Auto-off timer and transmit function allows the unit to turn off after a pre-set time from 1 minute to 4 hours from being turned on
- Switch trigger circuits allow the modules to turn on when the controlled device's on/off switch is opened and then closed and can update its status to other devices – great feature for reading lamps when you don't want to have to find a controller to turn the lamp on
- Transmission mode allows the modules to trigger scenes when they are manually turned on or upon the Auto-off time-out setting
- Pre-programmed with 7 preset scenes to create inviting moods and a flash feature for notification

MSRP $170.00

FMD24 (FIXTURE MODULE DIMMER)

- The FMD24 2-Channel Fixture Module Dimmer is the ideal solution to controlling incandescent lights or fixtures that need to be individually con trolled or are not currently wired to a dedicated wall switch location.

FMR120 (FIXTURE RELAY MODULE , 20A)

- The FMR120 ideal solution for fluorescent lights, or other non-dimming loads (such as motors or transformers), that need to be individually controlled but are not currently wired to a dedicated wall switch location.

Common Features:

- Wires into electrical box or fixture canopy
- Controllable by an ELAN lighting controller
- Allows automation of ceiling fan / light locations

MSRP $225.00

POWERLINE INTERFACE MODULES

PIMR

- The PIM plugs into any standard 120VAC electrical outlet. The PIMR is an RS-232 serial interface that connects to any available COM port via a DB9 serial cable (included).

MSRP $175.00

COUPLERS & REPEATERS

PPC1 2-WIRE 120/240VAC

Common Features:

- Phase couplers are designed to enhance the communication reliability of the system.
- They provide a path for a signal generated on one phase, in a typical split-phase (single-phase) 240 VAC residential system to cross over to the other phase of the powerline.

MSRP $109.71

SPR1 SPLIT PHASE REPEATER

- The main purpose of the SPR1 is to increase the powerline communication reliability by taking the communica tions transmitted on one phase (leg) of the electrical system and repeating them on to the other phase (leg) at full strength.

MSRP $480.00

TPR120 THREE PHASE REPEATER

- For environments such as restaurants,apartment complexes, office buildings or across multiple electrical phases, the TPR120 is designed to deliver all the benefits on three-phase 120/208VAC Delta-Wye 60Hz

MSRP $700.00

LINE FILTERS

ILC IN-LINE 1.8 AMP CHOKE FILTER
- The ILC In-Line Choke is used on wire-in devices rated for 120 VAC devices that draw up to 1.8 Amps.
- Ensures reliable communication
- Blocks low frequency noise above 4 kHz
- Isolates attenuation effect of highly capacitive devices

MSRP $30.00

PLF5 POWERLINE 3.8 AMP FILTER
- The Plug-in 120 VAC PLF5 (3.8A) and PLF15 (15A) filters plug in between the noisy offender and isolates them from the electrical wiring.
- Ensures reliable communication
- Blocks low frequency noise above 4 kHz
- Isolates attenuation effect of highly capacitive devices

MSRP $175.00

PLF15 POWERLINE 15 AMP FILTER
- The PLF15 has two outlets for plugging in multiple devices or power strips.
- Ensures reliable communication
- Blocks low frequency noise above 4 kHz
- Isolates attenuation effect of highly capacitive devices

MSRP $375.00

LIGHTING CONTROL PANEL

LCPU
- The Lighting Control Panel provides ample room to house up to ten WS1D24, fifteen WS1D15/ WS1D10,or twenty WS1D6 dimmers controlling a maximum of 20 individual circuits and delivering 24,000W or 18,000VA of power. A total of thirty three (1/2 x 3/4 combo type) knockouts are provided on the top, bottom and back of the enclosure for simplified wiring.
- Advanced heat dissipation, de-rating is not needed
- The cost to design, layout, construct, wire, and program a central-star system lighting system is greatly reduced
- Hinged Interior panel can swing out for easy access for wiring
- Door lock to prevent tampering 13 knockouts (1/2 x 3/4 combo type) on both the top and the bottom of the unit and 20 knockouts on the rear, for simple wiring

MSRP $865.00

INSTALLATION AND SUPPORT DEVICES

CEM6
- Custom Engraved Membrane for KPC6 Button devices

MSRP $74.52

CEM8
- Custom Engraved Membrane for KPC8 Button devices

MSRP $74.52

ICM
- The Input Control Module is a high quality plug-in home automation controller device designed to interface off-the-shelf low voltage or contact closure sensor devices. It provides 2 independent channels of general purpose isolated contact closure sensing inputs to activate single lights, trigger dramatic scenes, or send messages to a central controller.

MSRP $215.00

TEC
- The Timed Event Controller is a high quality plug-in home automation controller capable of transmitting and receiving digital commands over the existing powerlines at preset times.

MSRP $324.99

4-ZONE STARTER KIT

SPK4

- This great little package enables you to initially set up your lightingsystem and allow you to control 4 lighting zones in main areas in your home.
- The keypads & wall switches are pre-programmed with 4 basic scenes. Changing the existing scenes are as simple as activating the scene, changing the lighting levels at the wall switches and tapping the scene button on the keypad five times. The Keypads can also receive IR commands to give you control from any learning remote.

MSRP $1075.00

KIT INCLUDES

(4) WS1D6W
(1) KPCW6W
(1) PIMR
(1) PPC1